

## Extensiones de PVC tipo K con enchufe y enchufe estándar (IEC)



**TYPE-K**



**TYPE-K**

Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

## Especificaciones

Construcción del cable: Single pair 7/0.2

Cable / cable aislado de PVC

Colocado plano, lado a lado y revestido de PVC

Clase de tolerancia 2

Clasificación de aislamiento de -10 a 105C

IEC codificado por colores

Conectores estándar

Conector estándar con pasadores planos y redondos

Socket estándar con contactos de termopar

Adecuado para aplicaciones industriales

Los contactos están polarizados para evitar conexiones incorrectas

Temperatura máxima 220C

IEC codificado por colores

## Specifications

<b>General Description</b>	Good general purpose insulation for 'light' environments. Waterproof and very flexible.
<b>Cable Length</b>	2M, 5M, 10M, 15M
<b>Cable Type</b>	Flat Pair Construction
<b>Connector Type</b>	Thermocouple Plug & Socket
<b>Connector Size</b>	Standard
<b>Core / Strands</b>	7/0.2mm
<b>Conductor Cross Section 7/0.2 (mm<sup>2</sup>)</b>	0.219

<b>Outer Colour</b>	Green
<b>Drain Wire</b>	No
<b>Insulation Material</b>	PVC Insulated
<b>Loop Resistance 7/0.2 (Ohms per combined metre)</b>	4.5
<b>Max. Temperature</b>	105°C
<b>Min. Temperature</b>	-10°C
<b>+ Conductor</b>	Nickel Chromium
<b>- Conductor</b>	Nickel Aluminium
<b>Screen</b>	No
<b>Standards Met</b>	Colour code (cores & jacket) to IEC-584-3
<b>Thermocouple Type</b>	K
<b>Termination Type</b>	Standard Thermocouple Plug and Socket
<b>Tolerance</b>	Class 2