LABFACILITY
TEMPERATURE & PROCESS TECHNOLOGY

Extensiones de PVC tipo K con enchufe y enchufe estndar (IEC)





TYPE-K



TYPE-K

Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

LABFACILITY
TEMPERATURE & PROCESS TECHNOLOGY

Datasheet

Especificaciones

Construccin del cable: Single pair 7/0.2

Cable / cable aislado de PVC

Colocado plano, lado a lado y revestido de PVC

Clase de tolerancia 2

Clasificacin de aislamiento de -10 a 105C

IEC codificado por colores

Conectores estndar

Conector estndar con pasadores slidos y redondos

Socket estndar con contactos de termopar

Adecuado para aplicaciones industriales

Los contactos estn polarizados para evitar conexiones incorrectas

Temperatura mxima 220C

IEC codificado por colores

Specifications

General Description	Good general purpose insulation for 'light' environments. Waterproof and very flexible.
Cable Length	2M, 5M, 10M, 15M
Cable Type	Flat Pair Construction
Connector Type	Thermocouple Plug & Socket
Connector Size	Standard
Core / Strands	7/0.2mm
Conductor Cross Section 7/0.2 (mm2)	0.219

Outer Colour	Green
Drain Wire	No
Insulation Material	PVC Insulated
Loop Resistance 7/0.2 (Ohms per combined metre)	4.5
Max. Temperature	105°C
Min. Temperature	-10°C
+ Conductor	Nickel Chromium
- Conductor	Nickel Aluminium
Screen	No
Standards Met	Colour code (cores & jacket) to IEC-584-3
Thermocouple Type	K
Termination Type	Standard Thermocouple Plug and Socket
Tolerance	Class 2