Medidor digital GM1020







Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

LABFACILITY
TEMPERATURE & PROCESS TECHNOLOGY

Datasheet

Ampliamente utilizado en fuentes electro-pticas, investigacin, docencia, metalurgia, construccin, inspeccin industrial, as como en investigacin agrcola y control de iluminacin.

Funciones de medicin potentes: Puede medir no solo valores de corriente, mximos y mnimos de iluminancia y temperatura, sino tambin la diferencia de iluminancia, la iluminancia integradora y la iluminacin integradora media.

Soporte para el almacenamiento automtico de datos de iluminancia (hasta 1900 grupos) y almacenamiento manual de datos de iluminancia (hasta 60 grupos)

Amplio rango de medicin (0 a 200.000 lux) y soporte para cambio automtico de rango

Entregado con software de anlisis por ordenador, que permite a los usuarios operar el medidor con facilidad

Respuesta rpida, alta portabilidad y manejable con una sola mano

El sensor puede girarse

Funcin de retroiluminacin

Mediciones mximas y mnimas

Indicacin de batera baja

El software para estos productos se puede descargar siguiendo este enlace .

Especificaciones

Specifications

Product Code	XE-4006-001
Model	GM1020 Digital Light Meter
Accuracy	±3% rdg: (below 10,000Lux)
Battery	2 AAA battery
Dimensions	150 x 55 x 30 mm
Function #1	Maximum and minimum measurements
Function #2	Backlight function
Function #3	The sensor can be rotated
Function #4	Low battery indication

Input / Ranges	0 Lux - 200,000 Lux
Operating Temperature	0°C - 40°C, 10%RH - 90%RH
Weight	150.4g
Power Consumption	Battery life:10 hours (continuous operation with a USB connection)
Storage Temperature	-20°C - 50°C, 10%RH - 90%RH