Kit de competicin profesional 3 con sonda ajustable y medidor digital premium







Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

LABFACILITY
TEMPERATURE & PROCESS TECHNOLOGY

Datasheet

Kit de competicin profesional 3

Incluye sonda ajustable para neumticos de competicin, medidor digital de alta calidad y maletn de transporte blando

Sonda de neumticos

Esta sonda de neumtico de competicin de respuesta muy rpida tiene un ajuste manual de profundidad de 1 mm a 15 mm

Un rango de temperatura de -50 a +250C

Tipo de unin: Conectado a tierra

Un tiempo de respuesta inferior a 0,5 segundos

Equipado con cable enrollado de 1 m y tapn miniatura

Puede usarse con cualquier termmetro digital tipo K con un enchufe de entrada mini

Termmetro industrial Therma 1 (Tipo K)

El Therma 1 cuenta con pantallas LCD grandes y fciles de leer con circuito abierto 'Err' y indicacin de batera baja. Cada termmetro funciona con tres pilas AAA de 1,5 voltios que ofrecen una duracin mnima de cinco aos. Las unidades se apagan automticamente tras diez minutos, maximizando la duracin de la batera. Esta funcin puede ser desactivada por el usuario, si es necesario.

Tipo: Termmetro Digital Industrial

Tipo de termopar: Tipo K

Precisin: 0,4C 0,1%

Entrada / Rangos: 0,1C -99,9 a 299,9C. 1C 300 a 1372C

Resolucin de la visualizacin de datos: 0,1C & 1C

Dimensiones: 25 x 56 x 128 mm

Fuente de alimentacin: Batera de 3 x AAA de 1,5 voltios. Duracin de la batera: 10000 horas/min 5 aos

Tipo de sensor: Sensor tipo K termopar miniatura

Peso: 130 gramos

Specifications

Product Code	XE-KITRACE3
General Description	Includes adjustable racing tyre probe, premium quality digital meter and soft carry case

Sensor Type	Junction Type: Grounded
Thermocouple Type	Type K
Probe Diameter	manual depth adjustment from 1 mm to 15 mm
Cable Length	1M
Cable Type	Coiled lead
Cable Termination	Miniature Plug
Max. Temperature	+250°C
Min. Temperature	-50°C
Digital Thermometer	Type: Industrial Digital Thermometer Thermocouple Type: Type K Accuracy: ±0.4°C ±0.1% Input / Ranges: 0.1°C -99.9 to 299.9°C. 1°C 300 to 1372°C Resolution of data display: 0.1°C & 1°C Dimensions: 25 x 56 x 128mm Power Supply: Battery 3 x 1.5 volt AAA. Battery life 10000 hours/min 5 years Sensor Type: Sensor type K miniature thermocouple Weight: 130 grams