


Sonda de inmersin superficial dual (impermeable) - Tipo K



Labfacility are the UK's leading manufacturer of Temperature Sensors, Thermocouple Connectors and associated Temperature Instrumentation and stockings of Thermocouple Cables. The Company has been trading since 1971 and is ISO9001 accredited.

Una sonda ideal para la medicin de temperatura del agua que ayude a prevenir la legionela.

Vaina de acero inoxidable con mango moldeado y 2 metros de cable de extensin enrollado terminado en un tapn de termopar en miniatura.

Termopar tipo K Clase I (1,5C 0,25%)

Rango de medicin: -10 a + 200C

La sonda mide un vstago de 12 x 120 mm de longitud con punta de 12 x 10 mm.

Doble propsito para la medicin de temperatura liquida y superficial

Sensor de cinta de cinta sellado con compuesto de caucho de silicona para asegurar que la sonda sea completamente impermeable.

Specifications

Product Code	XE-3841-001
General Description	Dual Purpose for liquid and surface temperature measurement
Thermocouple Type	K Type Thermocouple Class I ($\pm 1.5^{\circ}\text{C} \pm 0.25\%$)
Calibration	IEC
Probe Diameter	12mm
Probe Length	120mm long stem with O12 x 10mm tip
Sheath Material	Stainless steel sheath
Cable Length	1m of straight polyurethane with moulded connector
Cable Type	polyurethane
Cable Termination	moulded connector
Max. Temperature	+200°C
Min. Temperature	-10°C
Standards Met	Colour code (cores & jacket) to IEC-584-3
IP Rating	IP67



Connector Type	Miniature moulded flat pin plug, colour coded 'green' in accordance IEC specification
Connection Type	Plug
Connector Size	Miniature (moulded-on)
Features #1	Ribbon band sensor sealed with Silicon Rubber compound to ensure the probe is fully waterproof.